EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2585	pipeline near2 stall	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:32
L2	371	register near2 scoreboard	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:32
L4	1	l2 same ((track$3 or maintain$3) with l1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:36
L5	20	l2 same (l1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:36
L6	13562	instruction with schedul$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:33
L7	7	l5 and L6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:37
L8	2	l2 same ((track$3 or maintain$3) with (stall or latency or delay))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:36
L9	29	l2 with (stall or latency or delay)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:36

L10	10	15 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 10:37
L12	14080	(reorder$3 or schedul$3) with interval	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 11:21
L13	62	l12 and L6 and (data near2 dependency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 11:22
S1	13562	instruction with schedul$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 08:14
S2	4588	dependency with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 08:17
S3	43	S1 and S2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 08:15
S4	0	scheudul$3 with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 08:17
S5	297	reorder$3 with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 08:21

S6	15	S1 and S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 08:17
S7	162689	(rearrange$3 or mov$3 or reschedul$3) with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:15
S8	255	S1 and S7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 08:22
S9	10	S8 and (data near2 dependency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 11:21
S10	1230	S1 and (data near2 dependency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:10
S11	496	S10 and range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:09
S12	536	(range or extend or scope or valid)same (data near2 dependency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:12
S13	119	S1 and S12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:12

S14	314	(range or extend or scope)same (data near2 dependency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:13
S15	36	S1 and S14	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:12
S16	20	(determin$3 with range)same (data near2 dependency)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:14
S17	3	S1 and S16	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:14
S18	189857	(reorder$3 or rearrange$3 or mov$3 or movable or reschedul$3) with range	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 11:19
S19	11176	S18 with determin$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:15
S20	22	S1 and S19	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2007/11/09 09:16

Google Scholar

instruction scheduling data dependency deterr   Search

Scholar All articles - Recent articles Results **1 - 10** of about **23,200** for **instruction scheduling data**

All Results

M Lam

B Rau

S Mahlke

W Chen

M Smith

Software pipelining: an effective **scheduling** technique for VLIW machines - all 15 versions »
M Lam - Proceedings of the ACM SIGPLAN 1988 conference on ..., 1988 - portal.acm.org
... of registers; otherwise, the resulting **data** memory bottleneck ... particular branch then the **instruction** simply can ... line sequences in the **scheduling** process makes ...
Cited by 680 - Related Articles - Web Search - BL Direct

Global **instruction scheduling** for superscalar machines
D Bernstein, M Rodeh - Proceedings of the ACM SIGPLAN 1991 conference on ..., 1991 - portal.acm.org
... **data dependence** information summarized in a Program **Dependence** Graph, to move **instructions** well beyond ... This novel **scheduling** framework is based on ...
Cited by 162 - Related Articles - Web Search

Accurate static branch prediction by value **range** propagation - all 8 versions »
JRC Patterson - Proceedings of the ACM SIGPLAN 1995 conference on ..., 1995 - portal.acm.org
... useful information, but for global **instruction scheduling** and **instruction** cache optimizations the accuracy of the ... method for obtaining branch prediction **data**. ...
Cited by 77 - Related Articles - Web Search - BL Direct

Dynamic **instruction scheduling** and the Astronautics ZS-1 - all 7 versions »
JE Smith - Computer, 1989 - ieeexplore.ieee.org
... then be automati- cally routed via a common **data** bus to ... Control **dependencies**. ... For static code **scheduling, instruction** sequences are often divided into basic ...
Cited by 111 - Related Articles - Web Search

Region **scheduling**: an approach for detecting and redistributingparallelism - all 8 versions »
R Gupta, ML Soffa - Software Engineering, IEEE Transactions on, 1990 - ieeexplore.ieee.org
... MIPS, a pipelined re- duced-**instruction**-set processor ... program representation used in region **scheduling** is an ... can be made or not, **data dependency** information is ...
Cited by 123 - Related Articles - Web Search

Limits on multiple **instruction** issue - all 5 versions »
MD Smith, M Johnson, MA Horowitz - Proceedings of the third international conference on ..., 1989 - portal.acm.org
... in fa.c- tors we felt, would limit performance: **data**. ... r processor model, the instruc- tion **scheduler** performs the ... ed in- structions from the **instruction** window ...
Cited by 173 - Related Articles - Web Search - Library Search

The Multicluster Architecture: Reducing Processor Cycle Time Through Partitioning - all 21 versions »
KI Farkas, P Chow, NP Jouppi, Z Vranesic - International Journal of Parallel Programming, 1999 - Springer
... a register and hence a cluster for a **data** value is ... That is, prepass **scheduling** must

be used. ... for one **instruction** can affect those made for other **instructions**. ...
Cited by 213 - Related Articles - Web Search - BL Direct

HIGHLY CONCURRENT SCALAR PROCESSING' - all 4 versions »
PYT Hsu, ES Davidson - portal.acm.org
... the program for the purpose of **instruction scheduling** is the ... **Instructions** are shown
as nodes in the graph, labeled ... Arcs in the graph represent **data** or control ...
Cited by 188 - Related Articles - Web Search - Library Search

The Metaf low Architecture - all 5 versions »
V Popesco, M Schultz, J Spracklen, G Gibson, B ... - doi.ieeecs.org
... on a unified structure, the DRIS (deferred-**scheduling**, register-renaming ... of writing
the result of the **instruction** execution into ... **Data dependency** and stalling. ...
Cited by 115 - Related Articles - Web Search

Power analysis and minimization techniques for embedded DSPsoftware - all 5 versions »
MTC Lee, V Tiwari, S Malik, M Fujita - Very Large Scale Integration (VLSI) Systems, IEEE
..., 1997 - ieeexplore.ieee.org
... The **data** in the table also suggests that choosing an ... A **scheduling** algorithm for doing
so is described in ... 2) Base/Overhead Cost of Packed **Instruction**: Table V ...
Cited by 163 - Related Articles - Web Search - BL Direct

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

| instruction scheduling data depende | Search |

Google Home - About Google - About Google Scholar

©2007 Google

Google Scholar

list scheduling data dependency schedule inte | Search |

Scholar   All articles - <u>Recent articles</u> Results 1 - 10 of about **20,900** for <u>list scheduling data depend</u>

All Results

M Lam

B Rau

C Hwang

Y Hsu

C Glaeser

<u>Software pipelining: an effective **scheduling** technique for VLIW machines -</u> <u>all 15 versions »</u>
M Lam - Proceedings of the ACM SIGPLAN 1988 conference on ..., 1988 - portal.acm.org
... by the example, inter-iteration **data dependencies** may introduce ... for .a target initiation **interval** is the ... is derived from the **list scheduling** algorithm used in ...
<u>Cited by 680</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Introduction to the **scheduling** problem - all 20 versions »</u>
RA Walker, S Chaudhuri - IEEE Design & Test of Computers, 1995 - doi.ieeecs.org
... immediate successor of o i . We represent this **data dependency** during the ... and its mobility is also 1; and the **schedule interval** for operation 4 ... **list scheduling**. ...
<u>Cited by 41</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>Path-based **scheduling** for synthesis - all 3 versions »</u>
R Camposano - Computer-Aided Design of Integrated Circuits and Systems, ..., 1991 - ieeexplore.ieee.org
... are scheduled AFAP independently, according to the **data**-flow constraints ... The result is a DAG, and a **list** of removed ... and finally an AFAP **schedule** for each path. ...
<u>Cited by 189</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>A formal approach to the **scheduling** problem in high level synthesis - all 4</u> <u>versions »</u>
CT Hwang, JH Lee, YC Hsu - Computer-Aided Design of Integrated Circuits and Systems, ..., 1991 - ieeexplore.ieee.org
... can join several operations with **data dependencies** in one ... system for synthesizing a pipelined **data** path ... It uses a modified **list scheduling** technique to **schedule** ...
<u>Cited by 200</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>Lifetime-sensitive modulo **scheduling** - all 8 versions »</u>
RA Huff - ACM SIGPLAN Notices, 1993 - portal.acm.org
... code, (instead of a loop), a **list- scheduling** compiler can ... To software pipeline a loop, a **scheduler** must handle cyclic **data dependencies**, which arise ...
<u>Cited by 141</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>BL Direct</u>

<u>LEneS: task **scheduling** for low-energy systems using variable supply</u> <u>voltage processors - all 9 versions »</u>
F Gruian, K Kuchcinski - Proceedings of the 2001 conference on Asia South Pacific ..., 2001 - portal.acm.org
... order of task execution, which is imposed by the various **data dependencies**. ... 5), is based on **list-scheduling** with a energy sensitive ... A. The Energy of a **Schedule** ...
<u>Cited by 85</u> - <u>Related Articles</u> - <u>Web Search</u>

<u>HIGHLY CONCURRENT SCALAR PROCESSING' - all 4 versions »</u>
PYT Hsu, ES Davidson - portal.acm.org
... Figure 8 shows the **dependency** graph for the ongoing ... Arcs in the graph represent **data** or control de ... However, it is well known that **list scheduling** techniques [19 ...
<u>Cited by 188</u> - <u>Related Articles</u> - <u>Web Search</u> - <u>Library Search</u>

Some **scheduling** techniques and an easily schedulable horizontal architecture for high performance ... - all 3 versions »
BR Rau, CD Glaeser - ACM SIGMICRO Newsletter, 1981 - portal.acm.org
... the approach is to maintain a **list** of "ready ... remains to be shown that this **schedule** is correct ... constraint are not even considered, no **data dependencies** can have ...
Cited by 298 - Related Articles - Web Search

Control-flow versus **data**-flow-based **scheduling**: combining bothapproaches in an adaptive **scheduling** ... - all 6 versions »
RA Bergamaschi, S Raje, I Nair, L Trevillyan - Very Large Scale Integration (VLSI) Systems, IEEE ..., 1997 - ieeexplore.ieee.org
... BERGAMASCHI et al.: CONTROL-FLOW VERSUS **DATA**-FLOW-BASED **SCHEDULING** ... the target po-
sitions (Tp(op)) for all constraint-generating oper- ations in **list** CGopl ...
Cited by 36 - Related Articles - Web Search - Library Search

Iterative modulo **scheduling**: an algorithm for software pipelining loops - all 4 versions »
BR Rau - Proceedings of the 27th annual international symposium on ..., 1994 - portal.acm.org
... specified as a **list** of resources and the attendent ... When performing **scheduling** with a realistic machine model ... **data** structure similar to the reservation table is ...
Cited by 286 - Related Articles - Web Search

Goooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

list scheduling data dependency sch   Search

Google Home - About Google - About Google Scholar

©2007 Google